



[1] Zheng Haibo, Xiong Guoyuan, Han Minyi, Deng Shaolin, Xu Xinglian*, Zhou Guanghong. High pressure/thermal combinations on texture and water holding capacity of chicken batters [J]. *Innovative Food Science & Emerging Technologies*, 2015, 30: 8-14.

[2] Zheng Haibo, Han Minyi, Yang Huijuan, Tang Changbo, Xu Xinglian*, Zhou Guanghong. Application of high pressure to chicken meat batters during heating modifies physicochemical properties, enabling salt reduction for high-quality products [J]. *LWT - Food Science and Technology*, 2017, 84: 693-700.

[3] Zheng Haibo, Han Minyi, Yang Huijuan, Xu Xinglian*, Zhou Guanghong. The effect of pressure-assisted heating on the water holding capacity of chicken batters [J]. *Innovative Food Science & Emerging Technologies*, 2018, 45: 280-286.

[4] Zheng Haibo, Han Minyi , Bai Yun, Xu Xinglian*, Zhou Guanghong. Combination of high pressure and heat on the gelation of chicken myofibrillar proteins [J]. *Innovative Food Science & Emerging Technologies*, 2019, 52: 122-130.

[5] Zheng, Haibo, Xu, Baocai*, Xu, Xinglian*, Li, Chao, Bolumar, Tomas, & Zhen, Zongyuan. Gelation of chicken batters during heating under high pressure. *Innovative Food Science & Emerging Technologies*, 2021,74. <https://doi.org/10.1016/j.ifset.2021.102848>.

[6] . [J]. , 2007, (05): 13-16+42.

[7] , . [J]. , 2009, 33(01): 151-156.

[8] , . [J]. , 2012, 26(05): 33-37.

[9] , , , , , . [J]. , 2012, (02): 44-47.

[10] , . [J]. (), 2012, 30(04): 435-437.

[11] , . [J]. , 2013, 34(08): 322-325.

[12] , , , , , , . [J]. , 2015, 40(04): 194-199.

[13] , , . [J]. , 2015, 36(04): 370-375.

[14] , , , , , . [J]. , 2017, 42(12): 153-157.

[15] , , , , . [J]. , 2018, 39(21): 109-115.

